



HOUSE OF REPRESENTATIVES

H. No. 10590

BY REPRESENTATIVE BARBA, PER COMMITTEE REPORT NO. 1375

AN ACT

RECTIFYING THE COMPOSITION AND TECHNICAL DESCRIPTIONS OF BARANGAYS KALAW, CABARITAN AND QUIBEL IN THE MUNICIPALITY OF DUMALNEG, PROVINCE OF ILOCOS NORTE, AND THEIR ADJOINING LOCAL GOVERNMENT UNITS, AMENDING FOR THE PURPOSE REPUBLIC ACT NO. 10955, ENTITLED, "AN ACT DIVIDING BARANGAY DUMALNEG IN THE PROVINCE OF ILOCOS NORTE INTO THREE (3) DISTINCT AND INDEPENDENT BARANGAYS TO BE KNOWN AS BARANGAY KALAW, CABARITAN AND QUIBEL"

Be it enacted by the Senate and House of Representatives of the Philippines in Congress assembled:

1 **SECTION 1.** Section 2 of Republic Act No. 10955 is hereby amended to read as follows:
2

3 **"SEC. 2. Composition.** – The existing puroks and sitios shall comprise the new barangays
4 herein created as follows:
5

6 (a) Barangay Kalaw. – Barangay Kalaw shall be composed of Purok Crisalita,
7 Purok Saniata, [~~Sitio Paee,~~] Sitio Banbanag, Sitio Sta. Maria, Sitio Siraong, Sitio
8 As-asaan, Sitio Nasduan, Sitio Nappud, Sitio Nanguratao and Sitio Sisilungen.
9

10 (b) Barangay Cabaritan. – Barangay Cabaritan shall be composed of Purok
11 Timpuyog, Poblacion, Sitio Alilem, Sitio Cabaritan, Sitio Capcapitan, Sitio
12 Tapauan, Sitio Immalsung and Sitio Mangadamay.
13

14 (c) Barangay Quibel. – Barangay Quibel shall be composed of [~~Purok Namnama,~~
15 Purok Danggayan, [~~Purok Regta,~~] Sitio Namoc, [~~Sitio Arapang,~~] Sitio Nalames,
16 Sitio Baracbac, Sitio Bobog and Sitio Baset."

1 **SEC. 2.** The territorial boundaries of barangays Kalaw, Cabaritan, and Quibel in the
 2 Municipality of Dumalneg, Province of Ilocos Norte as identified under Section 3 of the same
 3 Act are hereby rectified, indicating MBM No.9, Cad. 736-D, Dumalneg Cadastre as the tie-point,
 4 and specifically described as follows:

5
 6 **(a) Barangay Kalaw**

7
 8 Bounded on the Northeast (NE) along lines 1 to 2, by Municipality of Bangui; along
 9 lines 2 to 27 by the Municipality of Pagudpud (Bolo River);

10
 11 On the Southeast (SE), along lines 27 to 39, by the Municipality of Adams;

12
 13 On the Southeast (SE) and Northwest (NW) along lines 39 to 107, by Barangay
 14 Cabaritan;

15
 16 On the Northwest (NW), along lines 107 to 112, by Barangay Quibel;

17
 18 On the North (N) and Northeast (NE), along lines 112 to 149 to 1, by the Municipality
 19 of Bangui;

20
 21 The technical description of Barangay Kalaw is as follows:

LINE	BEARING	DISTANCE (M)
TIEPOINT TO 1	S 43-50 E	1,773.07
1-2	S 64-41 E	1,807.41
2-3	S 11-30 E	62.67
3-4	S 45-52 E	211.68
4-5	S 45-25 E	233.55
5-6	S 27 -53 E	130.24
6-7	S 23-25 E	3 53.66
7-8	S 21-56 E	368.09
8-9	S 67-14 W	251.78
9-10	S 38-07 W	374.04
10-11	S 35-18 E	20 6.70
11 -12	S 49-34 E	260.59
12-13	S 20-54 W	304.04
13-14	S 23-31 E	226.47
14-15	S 52-50 E	349.04
15-16	S 78 -03 E	552.96
16-17	S 36-59 E	252.68
17-18	S 48-02 W	310.15
18-19	S 11-30 W	327.51

19-20	S 53-27 E	504.27
20-21	S 20-17 E	93.13
21-22	S 71-51 E	617.91
22-23	S 78-51 E	453.25
23-24	S 82-42 E	393.51
24-25	S 89-01 E	521.91
25-26	N 11-22 E	50.55
26-27	N 40-54 E	6,429.23
27-28	S 25-53 W	4,612.30
28-29	S 11-09 W	154.00
29-30	S 09-14 E	235.63
30-31	S 30-19 E	118.35
31-32	S 29-17 E	199.72
32-33	S 44-25 W	99.47
33-34	S 46-35 W	77.90
34-35	S 28-53 W	128.97
35-36	S 30-12 W	162.96
36-37	S 13-53 W	212.20
37-38	S 49-41 W	1,316.12
38-39	S 43-19 E	7,062.74
39-40	N 57-29 W	7,551.22
40-41	N 57-29 W	2,143.14
41-42	N 57-29 W	28.00
42-43	N 27-18 E	28.00
43-44	N 27-18 E	384.37
44-45	N 27-18 E	28.00
45-46	N 09-13 W	28.00
46-47	N 09-13 W	132.90
47-48	N 09-13 W	28.00
48-49	N 50-53 W	28.00
49-50	N 50-53 W	440.64
50-51	N 50-53 W	28.00
51-52	N 27-47 W	28.00
52-53	N 27-47 W	37.27
53-54	N 39-01 W	28.00
54-55	N 39-01 W	3,534.11
55-56	N 39-01 W	28.00
56-57	N 45-01 W	2,104.99
57-58	N 45-01 W	28.00
58-59	S 86-37 W	28.00
59-60	S 86-37 W	96.27
60-61	S 86-37 W	28.00

61-62	S 62-58 W	28.00
62-63	S 62-58 W	54.02
63-64	S 62-58 W	28.00
64-65	N 79-09 W	28.00
65-66	N 79-09 W	66.18
66-67	N 79-09 W	28.00
67-68	N 36-07 W	45.80
68-69	N 05-43 W	28.00
69-70	N 05 -43 W	145.00
70-71	N 05-43 W	28.00
71-72	N 42-22 E	28.00
72-73	N 42-22 E	144.32
73-74	N 42-22 E	28.00
74-75	N 72-36 W	28.00
75-76	N 72-36 W	84.43
76-77	N 72-36 W	28.00
77-78	N 57-06 W	28.00
78-79	N 57-06 W	190.90
79-80	N 57-06 W	20.48
80-81	N 19-51 W	11.93
81-82	N 17-37 E	25.49
82-83	N 01-23 W	28.00
83-84	N 01-23 W	422.56
84-85	N 01-23 W	28.00
85-86	N 15-03 E	28.00
86-87	N 15-03 E	11 5.74
87-88	N 15-03 E	14.26
88-89	N 15-03 E	10.53
89 -90	S 87-03 W	22.76
90-91	S 87-03 W	28.00
91-92	S 87-03 W	41.13
92-93	S 87-03 W	28.00
93-94	N 12-32 W	46.10
94- 95	S 83-13 W	42.30
95-96	N 55 -18 W	31. 62
96-97	S 56-41 W	41.88
97-98	S 77-51 W	28.00
98-99	S 77-51 W	10.49
99-100	S 77-51 W	28.00
100-101	N 25-55 E	28.00
101-102	N 25-55 E	220.84
102-103	N 25-55 E	28.00

103-104	N 56-53 W	27.46
104-105	N 01 -35 W	28.00
105-106	N 01-35 W	263.09
106-107	N 01-35 W	28.00
107-108	N 44-50 E	43.76
108-109	N 21-48 W	10.77
109-110	N 35-00 E	28.00
110-111	N 35-00 E	174.61
111-112	N 35-00 E	28.00
112-113	S 67-50 E	9.85
113-114	S 62-08 E	12.00
114-115	S 62-08 E	7.90
115-116	S 62-06 E	7.50
116-117	S 62-03 E	27.01
117-118	S 60-01 E	6.72
118-119	S 60-01 E	2.29
119-120	S 71-03 E	2.42
120-121	S 71-03 E	28.00
121-122	S 71-03 E	84.34
122-123	S 71-00 E	8.00
123-124	S 71-04 E	20.00
124-125	S 71-04 E	13.10
125-126	N 57-02 E	17.95
126-127	N57-03 E	4.05
127-128	N 57-02 E	81.70
128-129	N 57-02 E	28.00
129-130	N 65-08 E	28.00
130-131	N 65-08 E	34.52
131-132	N 65-08 E	28.00
132-133	N 39-14 E	42.27
133-134	N 46-19 E	28.00
134-135	N 46-19 E	99.60
135-136	N 46-19 E	28.00
136-137	N 43-10 W	29.00
137-138	S 43-10 E	29.00
138-139	S 43-59 E	210.46
139-140	S 43-50 E	77.13
140-141	S 43-50 E	288.76
141-142	S 44-08 E	19.79
142-143	S 43-47 E	181.71
143-144	S 43-50 E	129.85
144-145	S 43-51 E	113.40

145-146	S 43-50 E	107.64
146-147	S 43-50 E	153.69
147-148	S 43-50 E	95.86
148-149	S 43-50 E	67.13
149-1	S 43-50 E	298.58

1 containing an area of Twenty nine million four hundred seventy-five thousand two hundred sixty
2 seven (29,475,267) square meters.

3

4

(b) Barangay Cabaritan

5

6

Bounded on the Southeast (SE) along lines 1 to 4 by Barangay Kalaw; along lines 4 to
7 5 by Municipality of Adams;

8

9

On the Southwest (SW) along lines 5 to 6 by Municipality of Vintar;

10

11

On the Southwest (SW) and Northwest (NW) along lines 6 to 44 by Barangay Quibel;

12

13

On the Northeast (NE) and Southeast (SE) along lines 44 to 107 to 1 by Barangay
14 Kalaw

15

16

The technical description of Barangay Cabaritan is as follows:

LINE	BEARING	DISTANCE (M)
TIEPOINT TO 1	S 28-55 E	8,520.09
1-2	S 57-29 E	28.00
2-3	S 57-29 E	2,143.14
3-4	S 57-29 E	7,551.22
4-5	S 43-19 E	7,835.74
5-6	N 63-20W	4,774.85
6-7	N4850W	10,172.10
7-8	N 48-50 W	2,159.16
8-9	N 43-34 W	1,054.96
9-10	N 72-15 W	203.48
10-11	N 46-29 W	86.54
11-12	N 41-01 W	4,863.45
12-13	N 41-18 W	515.50
13-14	N 54-58 W	215.09
14-15	N 03-31 W	128.52
15-16	S 78-16 W	65.62
16-17	N 43-03 W	237.00

17-18	S 87-38 W	151.73
18-19	N 81-47 W	294.82
19 -20	N 01-16 W	25.18
20-21	N 44-44 E	190.29
21-22	N 15-57 E	43.14
22-23	N 51-20 E	68.06
23-24	N 17-56 E	178.68
24-25	N 21-48 E	10 2.32
25-26	N 05-24 E	1 69.76
26-27	N 38-03 W	29.21
27-28	N 20-40W	56.65
28-29	N 01-33 E	37.01
29-30	N 31-55 W	134.30
30-31	N 34-16 W	193.60
31-32	N 51-59 W	139.83
32-33	N 10-07 W	28.44
33-34	N 56-19 E	90.14
34-35	N 07-58 E	50.49
34-35	N 07-58 E	50.49
35-36	N 12-24 W	102.39
36-37	N 07-08 E	80.62
37-38	N 42-20 E	60.88
38-39	N 29-45 E	64.50
39-40	N 23-22 E	216.79
40-41	N 69-35 E	100.30
41-42	N 32-18 E	249.07
42-43	N 19-28 E	14.98
43-44	N 19-1 E	317.76
44-45	S 01 -35 E	28.00
45-46	S 01 -35 E	263.09
46-47	S 01 -35 E	28.00
47-48	S 56-53 E	27.46
48-49	S 25-55 W	28.00
49-50	S 25-55 W	220.84
50-51	S 25-55 W	28.00
51-52	N 77-51 E	38.49
52-53	N 77-51 E	28.00
53-54	N 56-41 E	41.88
54-55	S 55-18 E	31.62
55-56	N 83-13 E	42.30
56-57	S 12-32 E	46.10

57-58	N 87-03 E	28.00
58-59	N 87-03 E	41.13
59-60	N 87-03 E	28.00
60-61	N 87-03 E	22.76
61-62	S 15-03 W	24.79
62-63	S 15-03 W	115.74
63-64	S 15-03 W	28.00
64-65	S 01 -23 E	28.00
65-66	S 01 -23 E	422.56
66-67	S 01 -23 E	28.00
67-68	S 17 -37 W	25.49
68-69	S 17 -37 W	7.49
69-70	S 57-06 E	7.52
70-71	S 57-06 E	20.48
71-72	S 57-06 E	190.90
72-73	S 57-06 E	28.00
73-74	S 72-36 E	28.00
74-75	S 72-36 E	84.43
75-76	S 72-36 E	28.00
76-77	S 42-22 W	28.00
77-78	S 4 2-22 W	144.32
78-79	S 42-22 W	28.00
79-80	S 05-43 E	28.00
80-81	S 05-43 E	145.00
81-82	S 05-43 E	28.00
82-83	S 36-07 E	45.80
83-84	S 79 -09 E	28.00
84-85	S 79 -09 E	66.18
85-86	S 79-09 E	28.00
86-87	N 62-58 E	28.00
87-88	N 62-58 E	54.02
88-89	N 62-58 E	28.00
89-90	N 86-37 E	28.00
90-91	N 86-37 E	96.27
91-92	N 86-37 E	28.00
92-93	S 45-01 E	28.00
93-94	S 45-01 E	2,104.99
94-95	S 39-01 E	28.00
95-96	S 39-01 E	3,534.11
96-97	S 39-01 E	28.00
97-98	S 27-47 E	37.27
98-99	S 27-47 E	28.00

99-100	S 50-53 E	28.00
100-101	S 50-53 E	440.64
101-102	S 50-53 E	28.00
102-103	S 09-13 E	28.00
103-104	S 09-13 E	132.90
104-105	S 09-13 E	28.00
105-106	S 27-18 W	28.00
106-107	S 27-18 W	384.37
107-1	S 27-18 W	28.00

1 containing an area of Twenty nine million five hundred ten thousand four hundred ninety seven
2 (29,510,497) square meters.

3
4 **(c) Barangay Quibel**

5
6 Bounded on the Northwest (NW) along lines 1 to 60 by Municipality of Bangui;

7
8 On the Northeast (NE) along lines 60 to 63 by Barangay Kalaw;

9
10 On the Northeast (NE) and Southeast (SE) along lines 63 to 100 by Barangay Cabaritan;

11
12 On the Southeast (SE) along lines 100 to 103 to 1 by Municipality of Vintar.

13
14 The technical description of Barangay Quibel is as follows:

LINE	BEARING	DISTANCE (M)
TIEPOINT TO 1	S 12-54 W	5,058.78
1-2	N 18-22 W	2,574.87
2-3	N 22-38 E	293.77
3-4	N 35-53 E	83.21
4-5	N 47-54 E	85.80
5-6	N 38-58 E	95.07
6-7	N 14-15 E	136.41
7-8	N 08-28 E	67.70
8-9	N 17-19 E	66.5
9-10	N 06-03 E	145.56
10-11	N 15-48 E	30.99
11-12	N 24-92 E	239.72
12-13	N 12-38-W	112.35
13-14	N 34-28 E	47.68
14-15	N 00-28 W	8.55
15-16	N 00-19 E	78.94
16-17	N 16-21E	60.51

17-18	N 11-03 E	64.78
18-19	N 20-20 E	36.35
19-20	N 20-20 E	49.99
20-21	N 23-30 E	16.67
21-22	N 12-14 E	251.63
22-23	N 12-43 E	15.79
23-24	N 12-16 E	24.71
24-25	N 12-16 E	16.39
25-26	N 12-04 E	35.66
26-27	N 12-16 E	53.01
27-28	N 12-25 E	49.52
28-29	N 12-16 E	23.19
29-30	N 12-15 E	29.45
30-31	N 12-17 E	4.75
31-32	N 12-19 E	12.01
32-33	N 15-28 E	2.74
33-34	N 69-35 E	50.14
34-35	N 69-33 E	18.22
35-36	N 69-33 E	39.78
36-37	N 69-32 E	23.72
37-38	N 69-33 E	36.13
38-39	N 69-33 E	24.79
39-40	N 71-37 E	28.26
40-41	N 68-14 E	44.48
41-42	N 69-32 E	61.28
42-43	N 69-34 E	14.98
43-44	N 69-33 E	32.49
44-45	N 69-33 E	46.44
45-46	N 69-38 E	14.81
46-47	N 23-22 E	7.29
47-48	N 42-21 E	26.46
48-49	N 42-21 E	28.00
49-50	N 45-47 E	34.80
50-51	N 57-08 E	41.93
51-52	S 73-48 E	28.00
52-53	S 73-48 E	26.67
53-54	N 86-50 E	30.79
54-55	N 86-50 E	28.00
55-56	S 89-47 E	28.00
56-57	S 89-47 E	40.99
57-58	S 89-47 E	28.00
58-59	S 67-50 E	36.17

59-60	S 67-50 E	18.15
60-61	S 35-00 W	230.61
61-62	S 21-48 E	10.77
62-63	S 44-50 W	43.76
63-64	S 19-31 W	332.74
64-65	S 32-18 W	249.07
65-66	S 69-35 W	100.30
66-67	S 23-22 W	216.79
67-68	S 29-45 W	64.50
68-69	S 42-20 W	60.88
69-70	S 07-08 W	80.62
70-71	S 12-24 E	102.39
71-72	S 07-58 W	50.49
72-73	S 56-19 W	90.14
73-74	S 10-07 E	28.44
74-75	S 51-59 E	139.83
75-76	S 32-16 E	193.60
76-77	S 31-55 E	134.30
77-78	S 01-33 W	37.01
78-79	S 20-40 E	56.65
79-80	S 38-03 E	29.21
80-81	S 05-24 W	169.76
81-82	S 21-48 W	102.32
82-83	S 17-56 W	178.68
83-84	S 51-20 W	68.06
84-85	S 15-57 W	43.14
85-86	S 44-44 W	190.29
86-87	S 01-16 E	25.18
87-88	S 81-47 E	294.82
88-89	N 87-38 E	151.73
89-90	S 43-03 E	237.00
90-91	N 78-16 E	65.62
91-92	S 03-31 E	128.52
92-93	S 54-58 E	215.09
93-94	S 41-18 E	515.50
94-95	S 41-01 E	4,863.45
95-96	S 46-29 E	86.54
96-97	S 72-15 E	203.48
97-98	S 43-34 E	1,054.96
98-99	S 48-50 E	2,159.16
99-100	S 48-50 E	10,172.10
100-101	N 61-43 W	9,216.11

101-102	N 42-50 W	4,091.91
102-103	N 42-51 W	28.84
103-1	N 42-51 W	5,353.43

1 containing an area of twenty nine million two hundred seventy three thousand one
2 hundred fifty two (29,273,152) square meters.

3

4 **SEC. 3.** All laws, decrees, executive orders, rules and regulations contrary to or
5 inconsistent with any provision of this Act are hereby repealed or amended accordingly.

6

7 **SEC. 4.** This Act shall take effect fifteen (15) days after its publication in the *Official*
8 *Gazette* or in a newspaper of general application.

Approved,